

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Revision: 07.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- Trade name: **Sanitary power cleaner No 652**
- Article number: 652
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Bath cleaner
- **1.3 Details of the supplier of the safety data sheet**
- Manufacturer/Supplier:
AURO AG
Alte Frankfurter Str. 211
D-38122 Braunschweig
nieder@auro.de
- Further information obtainable from: product safety department
- **1.4 Emergency telephone number:** During normal opening times: +49 531 281 41 19









SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Classification system:
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Additional information:
Contains Lavandinöl grosso, Citronenöl sizili., Rosmarinöl. May produce an allergic reaction.
- **2.3 Other hazards**
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 77-92-9 EINECS: 201-069-1	citric acid  Xi R36  Eye Irrit. 2, H319	1 - 10%
CAS: 64-17-5 EINECS: 200-578-6	ethanol  F R11  Flam. Liq. 2, H225	1 - 10%
CAS: 584-08-7 EINECS: 209-529-3	potassium carbonate  Xi R36  Acute Tox. 4, H302; Eye Irrit. 2, H319	1 - 10%
CAS: 8008-56-8	Citronenöl sizili.  Xi R38; Xi R43; N R50/53 R10  Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	< 1%

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Revision: 07.05.2015

Trade name: Sanitary power cleaner No 652

(Contd. of page 1)

· *Additional information:* For the wording of the listed risk phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures**

- *General information:* No special measures required.
- *After inhalation:* Supply fresh air; consult doctor in case of complaints.
- *After skin contact:* Generally the product does not irritate the skin.
- *After eye contact:* Rinse opened eye for several minutes under running water.
- *After swallowing:* If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- *Suitable extinguishing agents:* CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- *Protective equipment:* No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

6.2 Environmental precautions:

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- *Information about fire - and explosion protection:* No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- *Storage:*
- *Requirements to be met by storerooms and receptacles:* No special requirements.
- *Information about storage in one common storage facility:* Not required.
- *Further information about storage conditions:* None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- *Additional information about design of technical facilities:* No further data; see item 7.

8.1 Control parameters

- *Ingredients with limit values that require monitoring at the workplace:*

64-17-5 ethanolWEL Long-term value: 1920 mg/m³, 1000 ppm

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Revision: 07.05.2015

Trade name: Sanitary power cleaner No 652

(Contd. of page 2)

- *Additional information:* The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- *Personal protective equipment:*
- *General protective and hygienic measures:* The usual precautionary measures are to be adhered to when handling chemicals.
- *Respiratory protection:* Not required.
- *Protection of hands:*
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- *Material of gloves*
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- *Penetration time of glove material*
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- *Eye protection:* Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- *General Information*
- *Appearance:*

Form:	Fluid
Colour:	According to product specification
- *Odour:* Characteristic
- *Odour threshold:* Not determined.
- *pH-value at 20 °C:* 3
- *Change in condition*

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
- *Flash point:* Not applicable.
- *Flammability (solid, gaseous):* Not applicable.
- *Ignition temperature:* 1010 °C
- *Decomposition temperature:* Not determined.
- *Self-igniting:* Product is not selfigniting.
- *Danger of explosion:* Product does not present an explosion hazard.
- *Explosion limits:*

Lower:	Not determined.
Upper:	Not determined.
- *Vapour pressure at 20 °C:* 23 hPa
- *Density at 20 °C:* 1.03 g/cm³
- *Relative density* Not determined.
- *Vapour density* Not determined.
- *Evaporation rate* Not determined.
- *Solubility in / Miscibility with water:* Fully miscible.
- *Partition coefficient (n-octanol/water):* Not determined.

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Revision: 07.05.2015

Trade name: Sanitary power cleaner No 652

(Contd. of page 3)

- *Viscosity:*
 - Dynamic:* Not determined.
 - Kinematic at 20 °C:* 26 s (DIN 53211/4)
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- *Acute toxicity:*

- *LD/LC50 values relevant for classification:*

84604-14-8 Rosmarinöl

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

- *Primary irritant effect:*
- *on the skin:* No irritant effect.
- *on the eye:* No irritating effect.
- *Sensitisation:* No sensitising effects known.
- *Additional toxicological information:*
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

- **12.1 Toxicity**
- *Aquatic toxicity:* No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- *Additional ecological information:*
- *General notes:*
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- *PBT:* Not applicable.
- *vPvB:* Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- *Recommendation* Smaller quantities can be disposed of with household waste.

(Contd. on page 5)

—GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Revision: 07.05.2015

Trade name: Sanitary power cleaner No 652

(Contd. of page 4)

· *European waste catalogue*

20 01 30 | detergents other than those mentioned in 20 01 29

· *Uncleaned packaging:*· *Recommendation:* Disposal must be made according to official regulations.· *Recommended cleansing agents:* Water, if necessary together with cleansing agents.**SECTION 14: Transport information**· **14.1 UN-Number**· *ADR, ADN, IMDG, IATA* Void· **14.2 UN proper shipping name**· *ADR, ADN, IMDG, IATA* Void· **14.3 Transport hazard class(es)**· *ADR, ADN, IMDG, IATA*· *Class* Void· **14.4 Packing group**· *ADR, IMDG, IATA* Void· **14.5 Environmental hazards:**· *Marine pollutant:* No· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· *UN "Model Regulation":*

-

SECTION 15: Regulatory information· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· *Relevant phrases*

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R10 Flammable.

R11 Highly flammable.

R36 Irritating to eyes.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· *Department issuing MSDS:* product safety department

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.05.2015

Revision: 07.05.2015

Trade name: Sanitary power cleaner No 652

(Contd. of page 5)

· *Contact:* N.N.· *Abbreviations and acronyms:*

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

GB